

## 8 References

- Albers, B.J., A.H. Strahler, X. Li, S. Liang, K.C. Clarke (1990):** Radiometric Measurements of Gap Probability in Conifer Tree Canopies. *Remote Sensing of Environment*, vol. 34, pp. 179-192.
- Andren, H. (1994):** Effects of habitat fragmentation on birds and mammals in landscapes with different proportions of suitable habitat: a review. *Oikos*, vol. 71, pp. 355-366.
- Angermeier, P.L. and J.R. Karr (1994):** Biological Integrity versus Biological Diversity as Policy Directives. *BioScience* vol. 44, no. 10, pp. 690-697.
- Apan, A., Raine, S. R. and Paterson, M. S. (2000):** Image Analysis Techniques for Assessing Landscape Structural Change: A Case Study of the Lockyer Valley Catchment, Queensland, *Proceedings of the 10th Australasian Remote Sensing and Photogrammetry Conference, 21-25 August 2000, Adelaide*, pp. 438-455. Available from [http://www.usq.edu.au/users/apana/10ARSPC\\_Apan.pdf](http://www.usq.edu.au/users/apana/10ARSPC_Apan.pdf) (accessed 10/5 2004)
- Bach, H., N. Christensen, P. Kristensen (eds.) 2001:** The State of the Environment in Denmark, 2001. *National Environmental Research Institute. - NERI Technical Report 409: 21-34*. Available at: [http://www.dmu.dk/1\\_viden/2\\_Miljoe-tilstand/3\\_samfund/tilstandsrapport\\_2001\\_eng/rapport/NM2001\\_GB\\_0.pdf](http://www.dmu.dk/1_viden/2_Miljoe-tilstand/3_samfund/tilstandsrapport_2001_eng/rapport/NM2001_GB_0.pdf) (accessed 2/2/2004)
- Baharuddin, H.G. (1995):** Timber certification: an overview. *Unasylva - An international journal of forestry and forest industries* - vol. 46, no. 183. 6 pp. Available at: <http://www.fao.org/docrep/v7850e/V7850e00.htm> (accessed 2/2/2004)
- Banko, G. and W. Kusche (2000):** Deriving Information on Forest Structure from Satellite Imagery to Support the Development of Regional Forest Management Concepts. In: *Proceedings of the IUFRO conference on "Remote Sensing and Forest Monitoring"* Rogow, Poland 1-3 June 1999.
- Barthod, C. (1998):** Criteria and indicators for sustainable temperate forest management - 1992 to 1996. *Unasylva - An international journal of forestry and forest industries* - Vol. 49 (no. 192, 1998/1), pp. 53-56. Available from: <http://www.fao.org/docrep/w7126E/w7126E00.htm> (accessed 2/2/2004)
- Bell, S. (1994):** Self-Organised Landscapes. In *"Fragmentation in Agricultural Landscapes"*, *Proceedings of the third IALE(UK) Conference held at Myerscough College, Bilsborrow, Preston, September 1994*. Edited by John Dover. ISBN 0 9524263 0 7. Pp. 79-86.
- Benson, B.J. and M.D. MacKenzie (1995):** Effects of sensor spatial resolution on landscape structure parameters. *Landscape Ecology* vol. 10, no. 2, pp. 113-120.
- Bertelsen, J. (red.) (2003):** Kriterier for gunstig bevaringsstatus. Naturtyper og arter omfattet af EF-habitatdirektivet & fugle omfattet af EF-fuglebeskyttelsesdirektivet. (Criteria for favourable state of conservation, nature type and species covered by the EU habitats directive and birds covered by the EU bird protection directive). *NERI Technical Report 457*, ISSN (digital): 1600-0048. Available at [http://www.dmu.dk/1\\_viden/2\\_Publikationer/3\\_fagrappporter/rapporter/FR457pdf](http://www.dmu.dk/1_viden/2_Publikationer/3_fagrappporter/rapporter/FR457pdf) (accessed 16/2 2004)

- Bian, L. (1997):** Multiscale Nature of Spatial Data in Scaling Up Environmental Models. Chapter 1 in "*Scale in Remote Sensing and GIS*" eds. D.A. Quattrochi and M.F. Goodchild. CRC/Lewis Publisher, Boca Raton, Fla.
- Bian, L. and R. Butler (1999):** Comparing Effects of Aggregation Methods on Statistical and Spatial Properties of Simulated Spatial Data. *Photogrammetric Engineering and Remote Sensing* vol. 65, no. 1, pp. 73-84.
- Blackburn, G.A. (1998):** Spectral indices for estimating photosynthetic pigment concentrations: a test using senescent tree leaves. *International Journal of Remote Sensing*, vol. 19, no. 4, pp. 657-675.
- Blackburn, G.A. and E.J. Milton (1996):** Filling the gaps: remote sensing meets woodland ecology. *Global Ecology and Biogeography Letters*, vol. 5, pp. 175-191.
- Blaschke, R. (1999):** Remote Sensing and GIS v Forest Data Needs - a user analysis of a state forest administration. *Proceedings of the IUFRO conference on Forestry and Remote Sensing, Rogow Poland 1-3 June 1999* (in print, available at: [http://rogow99.sggw.waw.pl/05\\_session\\_1/03/](http://rogow99.sggw.waw.pl/05_session_1/03/), accessed 2/2/2004)
- Blaschke, T. (1994):** Measurement of structural diversity with GIS in a large scale study. In: *GIS in Transition*. Conference Proceedings GIS Brno 94, Brno, pp. 60-61
- Blaschke, T. and J. Petch, (1999):** Landscape structure and scale: comparative studies on some landscape indices in Germany and the UK. In Maudsley, M. and Marshall, J. (eds.), *Heterogeneity in landscape ecology: pattern and scale*. IALE UK, Bristol, pp. 75-84. Available at: <http://www.geo.sbg.ac.at/staff/tblaschk/publications/bristol99.pdf> (accessed 2/2/2004)
- Borgesa, J.G. and H.M. Hoganson (2000):** Structuring a landscape by forestland classification and harvest scheduling spatial constraints. *Forest Ecology and Management* vol. 130, pp. 269-275.
- Bossard, M., J. Feranec, J. Otahel (2000):** CORINE land cover technical guide - Addendum 2000. *Technical Report 40*, European Environment Agency, Copenhagen. Available at: <http://terrestrial.eionet.eu.int/CLC2000/documents/Addendum> (accessed 3/2/2004)
- Botquilha Leitão, A. and J. Ahern (2002):** Applying landscape ecological concepts and metrics in sustainable landscape planning. *Landscape and Urban Planning* vol. 59, pp. 65-93.
- Bowers, M.A. and J.L. Dooley, Jr. (1999):** A controlled, hierarchical study of habitat fragmentation: responses at the individual, patch, and landscape scale. *Landscape Ecology* vol.14, pp. 381-389.
- Brandt, J. and E. Holmes (1995):** Spatial indices for landscape ecology - possibilities and limitations. In Proceedings of the Second CONNECT Workshop on Landscape Ecology, 1993. *NERI Technical Report* no. 131. Min. Environment and Energy, Denmark.
- Brandt, J.J.E., R. G. H. Bunce, D. C. Howard and S. Petit (2002):** General principles of monitoring land cover change based on two case studies in Britain and Denmark, *Landscape and Urban Planning*, Volume 62, Issue 1, 20 December 2002, pp. 37-51.
- Brentrup, F., J. Küsters, J. Lammel, H. Kuhlmann (2002):** Life Cycle Impact Assessment of Land Use Based on the Hemeroby Concept. *International Journal of Life Cycle Assessment* vol. 7, no. 6, pp. 339-348.

- Breuning-Madsen, H., M.B. Hedegaard, T. Balstrøm (1999):** Land assessment maps of Denmark based on the Danish Soil Classification's data bases and former trial land assessments. *Danish journal of Geography*, Special Issue 1, pp. 33-45.
- Brooker, L., M. Brooker, P. Cale (1999):** Animal Dispersal in Fragmented Habitat: Measuring Habitat Connectivity, Corridor Use, and Dispersal Mortality. *Conservation Ecology* [online] 3. URL <http://www.ecologyandsociety.org/vol3/iss1/art4/> (accessed 2/2/2004)
- Brown, D.G. and Duh, J.D. (2003):** Using spatial simulation to translate between land use and land cover. *International Journal of Geographical Information Science*. In Press.
- Brown, M., H.G. Lewis, S. R. Gunn (2000):** Linear Spectral Mixture Models and Support Vector Machines for Remote Sensing. *IEEE Transactions on Geoscience and Remote Sensing*. Vol. 38, no. 5, pp. 2346-2360. Available from: <http://www.ecs.soton.ac.uk/~srg/publications/pdf/LSMSVM.pdf> (accessed 2/2 2004)
- Bunce, R.G.H., C.J. Barr, R.T. Clarke, D.C. Howard, A.M.J. Lane (1996):** Land Classification for Strategic Ecological Survey. *Journal of Environmental Management* vol. 47, no. 1, pp. 37-60.
- Burnett, M.R., P.V. August, J.H. Brown, K.T. Killingbeck (1998):** The Influence of Geomorphological Heterogeneity on Biodiversity I. A Patch-Scale Perspective. *Conservation Biology* Vol. 12, no. 2, pp. 363-370.
- Burrough, P. A. (1986):** Principles of Geographical Information Systems for Land Resources Assessment. Clarendon Press, Oxford. ISBN no. 0-19-854592-4.
- Büttner, G., J. Feranec, G. Jaffrain (2002):** Corine land cover update 2000 - Technical guidelines. *EEA Technical report* 89, 59 pp. ISBN: 92-9167-511-3 Available from: [http://reports.eea.eu.int/technical\\_report\\_2002\\_89/en/techrep89](http://reports.eea.eu.int/technical_report_2002_89/en/techrep89)
- Campbell, J.B. (1996):** Introduction to Remote Sensing. Taylor & Francis Ltd, London, 2<sup>nd</sup> edition. ISBN 0-7484-0663-8.
- Cao, C. and N. Siu-Ngan Lam (1997):** Understanding the Scale and Resolution Effects in Remote Sensing and GIS. Chapter 3 in "*Scale in Remote Sensing and GIS*" eds. D.A. Quattrochi and M.F. Goodchild. CRC/Lewis Publisher, Boca Raton, Fla. pp. 57-72.
- Carlile, D.W., J.R. Skalski, J.E. Baker, J.M. Thomas, V.I. Cullinan (1989):** Determination of ecological scale. *Landscape Ecology*, vol. 2, no. 4, pp. 203-213.
- CBD (1992):** Convention on Biological Diversity. Available as MS-Word document at: <http://www.biodiv.org/doc/legal/cbd-en.doc> or as pdf-file: <http://www.biodiv.org/doc/legal/cbd-en.pdf> (accessed 18/11 2003)
- Cifaldi, R.L., J.D. Allan, J.D. Duh, D.G. Brown (2003):** Spatial patterns in land cover of exurbanising watersheds in southeastern Michigan. *Landscape and Urban Planning* (in press). 17 pp.
- Cihlar, J., J. Beaubien, Q. Xiao, J. Zhen, Z. Li (1997):** Land cover of the BOREAS Region from AVHRR and Landsat data. *Canadian Journal of Remote Sensing*, vol. 23, no. 2, pp. 163-175.

- Cihlar, J. and L. J. M. Jansen (2001):** From Land Cover to Land Use: A Methodology for Efficient Land-Use Mapping over Large Areas. *Professional Geographer* vol. 53 nr. 2 pp. 275-289.
- Cohen, W.B. and T.A. Spies (1992):** Estimating Structural Attributes of Douglas-Fir/Western Hemlock Forest Stands from Landsat and SPOT imagery. *Remote Sensing of Environment*, vol. 41, pp.1-17.
- Congalton, R.G., K. Green (1998):** Assessing the Accuracy of Remotely Sensed Data: Principles and Practices. CRC Press, Lewis Publishers, Boca Raton, FLA. 137 pp. ISBN 0-87371-986-7.
- Coops, N. and D. Culvenor (2000):** Utilizing Local Variance of Simulated High Spatial Resolution Imagery To Predict Spatial Pattern of Forest Stands. *Remote Sensing of Environment* vol. 71, no. 3, pp. 248-260.
- Corr, Douglas G., S. Cloude, L. Ferro-Famil, D. Hoekman, K. Partington, E. Pottier, A. Rodrigues (2003):** A Review of the Applications of SAR Polarimetry and Polarimetric Interferometry. Proceedings of POLinSAR 2003 Workshop, ESA-ESRIN, Frascati, Italy. Available at:  
[http://earth.esa.int/polinsar/participants/corr18/Review\\_of\\_applications\\_paper.pdf](http://earth.esa.int/polinsar/participants/corr18/Review_of_applications_paper.pdf)
- Costanza, R. and T. Maxwell (1994):** Resolution and predictability: An approach to the scaling problem. *Landscape Ecology* vol. 9, no.1, pp. 47-57.
- Cross, A.M., J.J. Settle, N.A. Drake, R.T.M. Paivinen (1991):** Subpixel measurement of tropical forest cover using AVHRR data. *International Journal of Remote Sensing*, vol. 12, no. 5, pp. 1119-1129.
- Curran, P.J. (1988):** The Semivariogram in Remote Sensing: An Introduction. *Remote Sensing of Environment* vol. 24, pp. 493-507.
- Curran, P. and P.M. Atkinson (1998):** Geostatistics and remote sensing. *Progress in Physical Geography* vol. 22, no. 1, pp. 61-78.
- Davies C.E. and D. Moss : (2002):** EUNIS Habitat Classification. Final Report to the European Topic Centre on Nature Protection and Biodiversity, European Environment Agency. February 2002. 125pp. Available from:  
[http://mrw.wallonie.be/dgrne/sibw/EUNIS/0202\\_key.pdf](http://mrw.wallonie.be/dgrne/sibw/EUNIS/0202_key.pdf) (accessed 18/11/2003)
- Davis, F.W., D.M. Stoms, J.E. Estes, J. Scepán, J.M. Scott (1990):** An information systems approach to the preservation of biological diversity. *International Journal of Geographical Information Systems*, vol. 4, no. 1, pp. 55-78.
- Davis, F.W., D.A. Quattrochi (1991):** Environmental Analysis Using Integrated GIS and Remotely Sensed Data: Some Research Needs and Priorities. *Photogrammetric Engineering and Remote Sensing* vol. 57, no. 6, pp. 689-695.
- De Cola, L. (1989):** Fractal Analysis of a Classified Landsat Scene. *Photogrammetric Engineering and Remote Sensing*, vol. 55, no. 5, pp. 601-610.
- Delbaere, B. and H.Gulinck (1994):** A review of landscape ecological research with specific interest to landscape ecological mapping. In "*European collaborative programme workshop on remote sensing in landscape ecological mapping*", Leuven 17-19 march 1994, E.C. Luxembourg 1995, ISBN 92-827-4245-8. pp. 3-27

**Diamond, J. (1988):** Factors controlling species diversity: Overview and synthesis. *Annals of the Missouri Botanical Garden*, vol. 75, pp. 117-129.

**Dobbertin, M.K. (1998):** Indicators for forest biodiversity in Europe: Proposal for terms and definitions. *BEAR project technical Report* no. 4. Available at: <http://www.algonet.se/~bear/TechnicalReport4.pdf> (accessed 18/11 2003)

**Dreschler, M. and C. Wissel (1998):** Trade-offs between local and regional scale management of metapopulations. *Biological Conservation* vol. 83, no. 1, pp. 31-41.

**Dubs, F. (1999):** Contribution to elaboration of criteria and indicators for the implementation of the Pan-European Ecological Network. Unpublished thesis for the European postgraduate programme 1998/1999 in Environmental Management (EAEME). 84 pp. plus annexes.

**Duggin, M.J. and C.J. Robinove (1990):** Assumptions implicit in remote sensing data acquisition and analysis. *International Journal of Remote Sensing* vol. 11, no. 10, 1669-1694.

**Duinker, P.N. (2000):** Criteria and Indicators for Sustainable Forest Management in Canada: Progress and Problems in Integrating Science and Politics at the local Level. Key note speech at the "International Conference on Criteria and Indicators for Sustainable Forest Management at the Forest Management Unit Level", Nancy, France, 21-25 March 2000.

**Dykstra, D.P. (1997):** Information systems in forestry. *Unasylva - An international journal of forestry and forest industries* - Vol. 48 (1997/2), pp. 10-15. Available from: <http://www.fao.org/docrep/w4086E/w4086E00.htm> (accessed 19/11 2003).

**Eastman, J. R. (1997):** Idrisi for Windows, User's Guide version 2.0. Clark Labs for Cartographic Technology and Geographic Analysis.

**Eiden, G., M. Kayadjanian, C.Vidal (2000):** Quantifying Landscape Structures: spatial and temporal dimensions. Chapter 2 of the EU report: From Land Cover to Landscape Diversity in the European Union, from DG AGRI, EUROSTAT, Joint Research Centre, European Environmental Agency, May 2000.

**Ejstrud, B.**, project manager, Digital Atlas of Cultural Environments, personal communication, Syddansk Universitet Esbjerg, December 2003.

**Ekstrand, S. (1994):** Assessment of Forest Damage with Landsat TM: Correction for Varying Forest Stand Characteristics. *Remote Sensing of Environment*, vol. 47, pp. 291-302.

**Elmasri, R. and S.B. Navathe (2000):** Fundamentals of database systems. Addison-Wesley. ISBN 0-201-54263-3.

**Estreguil, C., P. Kennedy, S. Folving and N. Nielsen (2001):** Geo-information for rural development and nature conservation in Europe. Pages 69-79 in: Groom, G.B. (editor) *'Strategic landscape monitoring in the Nordic countries'*. (Nordisk TemaNord 2001:523.) Copenhagen: Nordic Council of Ministers. ISBN 92-893-0608-4 / ISSN 0908-6692

**European Commission (1995):** EUR 16291 - Study of Forest/non-Forest interface: Typology of Fragmentation of Tropical Forests; Catalogue. TREES Series B, Research Report no.2.

**European Commission, DG XI (1998):** Communication of the European Commission to the council and to the Parliament on a European Community Biodiversity Strategy. DG XI, COM (98)42. 22 pp. Available at: <http://europa.eu.int/comm/environment/docum/9842en.pdf> (accessed 18/11 2003)

**European Commission, DG XI (1999):** Natura 2000 - managing our heritage. cat.no. CR-99-96-875-EN-C, ISBN 92-828-0786-X. Available at:  
<http://europa.eu.int/comm/environment/nature/brochure-en.pdf> (accessed 2003-03-18)

**EU-DG AGRI, EUROSTAT, Joint Research Centre, European Environmental Agency (2000):** From Land Cover to Landscape Diversity in the European Union, report May 2000. Available at: <http://europa.eu.int/comm/agriculture/publi/landscape/index.htm> (accessed 2003-03-17)

**European Environment Agency (2001):** Towards agri-environmental indicators: Integrating statistical and administrative data with land cover information. EEA Topic report no. 6. EEA, Copenhagen. Available at:  
[http://reports.eea.eu.int/topic\\_report\\_2001\\_06/en/Topic\\_6\\_2001.pdf](http://reports.eea.eu.int/topic_report_2001_06/en/Topic_6_2001.pdf) (accessed 25/2 2004)

**European Environment Agency (2002):** EU/AC Fragmentation, fact sheet on the indicator "Fragmentation of land and forest". Available from:  
[http://themes.eea.eu.int/Sectors\\_and\\_activities/transport/indicators/consequences/fragmentation/TERM\\_2002\\_06\\_EUAC\\_Fragmentation.pdf](http://themes.eea.eu.int/Sectors_and_activities/transport/indicators/consequences/fragmentation/TERM_2002_06_EUAC_Fragmentation.pdf) (accessed 19/11 2003)

**EWGRB (European Working Group on research and Biodiversity) 1998:** Understanding biodiversity: ecosystems research report 25. ISBN 92-828-4279-7, EUR 18444 EUR-OP, Luxembourg, 118 pp. Executive summary available at <http://www.larvalbase.org/Booklet.pdf> (accessed 2003-03-18)

**Firbank, L., N. Brown, E. Colleym P. Ragou, R. Swetnam(1996):** Integrating ecological models with landscape data. *Proceedings of the CONNECT MEETING - BIODIVERSITY IN CHANGING AGRICULTURAL LANDSCAPES*, 22 November 1996, ITE MONKS WOOD, UK. Available at: <http://mwnta.nmw.ac.uk/ite/econet/firbank.html> (accessed 16/2 2004)

**Foody, G.M., R.G. Jackson, C.P.Quine (1999):** Soft classification of forest canopy gaps. In the *Proceedings of the 25th Annual Conference and Exhibition of the Remote Sensing Society 8-10 Sept. 1999*. ISBN 0 946226 27 X. pp. 609-613.

**Forman, R.T.T. and M. Godron (1986):** Landscape Ecology. John Wiley & Sons, New York. 619 pages. ISBN nr. 0-471-87037-4.

**Forman, R.T.T. (1995):** Land Mosaics. Cambridge University Press, Cambridge. 632 pp. ISBN nr. 0-521-47462-0

**Franklin, J. (1995):** Predictive vegetation mapping: geographic modelling of biospatial patterns in relation to environmental gradients. *Progress in Physical Geography*, vol. 19, no. 4, pp. 474-499.

**Franklin, J.F., R.T.T. Forman (1987):** Creating landscape patterns by forest cutting: Ecological consequences and principles. *Landscape Ecology* vol. 1, no. 1, pp. 5-18.

**Franklin, S.E. and G.J. McDermid (1993):** Empirical relations between digital SPOT HRV and CASI spectral response and lodgepole pine (*Pinus contorta*) forest stand parameters. *International Journal of Remote Sensing*, vol. 14, no. 12, pp. 2331-2348.

**Frohn, R.C. (1998):** Remote sensing for landscape ecology - new metric indicators for monitoring, modelling and assessment of ecosystems. Lewis Publishers, CRC Press, Boca Raton, Florida.

- Fry, G.L.A. (1996):** A landscape perspective of biodiversity; indices, models and planning, pp. 3-13 In "*The spatial dynamics of biodiversity*", Proceedings of the fifth IALE(UK) Conference held at the University of Stirling. Edited by I.A. Simpson and P. Dennis.
- Fry, G.L.A., B. Skar, G. Jerpåsen, V. Bakkestuen and L. Erikstad (2003):** Locating archaeological sites in the landscape: a hierarchical approach based on landscape indicators. *Landscape and Urban Planning* (In Press) 11 pp.
- GAF (2001):** IRS WIFS image mosaic classification of forest classes for the European Union. Final report (EU Contract Nr. 17240-2000-12 F1ED ISP DE) Available at <http://www.ec-gis.org/efis/files/WIFSImageMosaicFinalRpt.pdf> (accessed 29/2 2004)
- Gale, P. (1996):** C1-Forest Ecology Working Group Terminology. Working paper from Society of American Foresters. Available at: <http://soilslab.cfr.washington.edu/S-7/EcolGlos.html> (accessed 21/2 2004)
- Gallego, F. J., P. Escribano, S. Christiansen (2000):** Comparability of landscape diversity indicators in the European Union. In report from EU-DG AGRI, EUROSTAT, JRC and EEA: From land cover to landscape diversity in the European Union. Available at: <http://www.europa.eu.int/comm/agriculture/publi/landscape/ch4.htm> (accessed 2/2/2004)
- Gallego, J. (ed. 2002):** Building Agro Environmental Indicators. Focussing on the European area frame survey LUCAS. EUR Report 20521 EN, ISBN 92-894-4633-1. Available from <http://agrienv.jrc.it/publications/ECpubs/agri-ind/> (accessed 23/2 2004)
- Garcia-Haro, F.J., M.A. Gilbert, J. Melia (1996):** Linear Spectral Mixture Modelling to Estimate Vegetation Amount from Optical Spectral Data. *International Journal of Remote Sensing*, vol. 17, no. 17, pp. 3373-3400.
- Gardner, R.H., R.V. O'Neill (1991):** Pattern, Process and Predictability: The use of neutral models for landscape analysis. Chapter 11(pp. 289-307) in *Quantitative Methods in Landscape Ecology*, eds. Turner, M.G., R.H. Gardner. Springer-Verlag, New York, ISBN: 0 387 94241-6.
- Goffredo, S. (1998):** Automatic generalization of satellite-derived land cover information. *European Commission publication* EUR 18127 EN, 236 pp.
- Goodchild, M.F. and D.A. Quattrochi (1997):** Introduction: Scale, Multiscaling, Remote Sensing and GIS. In Quattrochi, D.A. and M.F. Goodchild "*Scale in Remote Sensing and GIS*", CRS Press/Lewis Publishers Boca Raton, Florida 1997, ISBN 1-56670-104-X. 406 pages, pp. 1-11.
- Goodenough, D. G., A. S. Bhogal, R. Fournier, R. J. Hall, J. Iisaka, D. Leckie, J. E. Luther, S. Magnussen, O. Niemann, W. M. Strome (1998):** Earth Observation for Sustainable Development of Forests (EOSD). Proc. 20th Canadian Symposium on Remote Sensing, Calgary, Alberta, 1998. pp. 57-60.
- Goward, S.N. (1989):** Satellite Bioclimatology. *Journal of Climate*, vol. 2, pp. 710-20.
- Grabherr, G., G. Koch, H. Kirchmeir, K. Reiter (1995):** Hemerobie oesterreichischer Waldoekosysteme. *Zeitschrift fur Oekologie und Naturschutz*, vol 4., pp. 105-110. (in German)
- Granhölm, H., T. Vähänen, S. Sahlberg (1996):** Background document. Ministry of Agriculture and Forestry of Finland, Intergovernmental seminar on criteria and indicators for sustainable forest management August 19-22 1996, Helsinki, Finland. ISBN 951-53-0916-6

- Green, D.G. (1994):** Connectivity and complexity in landscapes and ecosystems. *Pacific Conservation Biology* vol. 1(3), pp. 194-200.
- Green, M. and R. Flowerdew (1996).** New evidence on the modifiable areal unit problem. In *Spatial Analysis: Modelling in a GIS Environment* (edited by Longley, P. and Batty, M.), GeoInformation International, Cambridge, pages 41-54.
- Griffiths, G.H., B.C. Eversham, D.B. Roy (1999):** Habitat quality and nature conservation in Great Britain: data sources and methods. *Global Ecology and Biogeography*, vol. 8, pp. 329–345.
- Griffiths, G.H., J. Lee, B.C. Eversham (2000):** Landscape pattern and species richness; regional scale analysis from remote sensing. *International Journal of Remote Sensing*, vol. 21, pp. 2685-2704.
- Grohmann, F. (2000):** Project manger, Umbria regional forest administration (Assessorato Agricoltura e Foreste), personal communication June 2000.
- Groom, G. and M. Stjernholm (2001) :** The Area Information System. A Danish National Spatial Environmental Database. In: Groom, G. & Reed, T. (eds.): Strategic Landscape Monitoring for the Nordic Countries. Nordic Council of Ministers - TemaNord 2001:523: 81-88. ISBN 92-893-0608-4, ISSN 0908-6692.
- Gustafson, E.J. (1998):** Quantifying Landscape Spatial Pattern: What Is the State of the Art? *Ecosystems* vol. 1, no. 2, pp. 143-156.
- Gustafson, E.J., G.R. Parker (1992):** Relationships between landcover proportion and indices of landscape spatial pattern. *Landscape Ecology* vol. 7, no. 2, pp. 101-110.
- Haines-Young, R. and M. Chopping (1996):** Quantifying landscape structure: a review of landscape indices and their application to forested landscapes, *Progress in Physical Geography*, Vol 20 (4), 418-445.
- Hall, F.G., D.B. Botkin, D.E. Streibel, K.D. Woods, S.J. Goetz (1991):** Large-scale patterns of forest succession as determined by remote sensing, *Ecology*, 72(2) pp. 628-640.
- Häme, T., K. Andersson, E. Carfagna, H. Jeanjean, P. Rapaport, I. Spence (1999):** Forest Monitoring in Europe with Remote Sensing (FMERS) Final report – Regional mapping (Stage 2) Executive summary. Report to: Joint Research Centre/CEO Contract number: 13105-97-07 F1ED ISP SF. Available at: [http://www.vtt.fi/tte/research/tte1/tte14/proj/fmers/final/fmers\\_executi.htm](http://www.vtt.fi/tte/research/tte1/tte14/proj/fmers/final/fmers_executi.htm) (accessed 2/2 2004)
- Häme, T., Y. Rauste, P. Stenberg (2000):** Sub-pixel area estimation of European forests using NOAA-AVHRR data. Proceedings of the IUFRO conference on Forestry and Remote Sensing, Rogow Poland 1-3 June 1999, eds. T. Zawila-Niedzwiecki, M. Brach. EUR 19530 EN - European Communities, Luxembourg, pp. 451-461.
- Hansen, L. (2000):** WinChips image processing software. Available at <http://www.geogr.ku.dk/chips/index.htm> (accessed 1/3 2004)
- Hansen, V. (1964):** Landskab og bebyggelse i Vendsyssel (Morphology and rural settlement in Vendsyssel). *Kulturgeografiske Skrifter* vol. 7, Geografisk Selskab (Royal Danish Geographical Society) C.A. Reitzels Forlag, København.



- Hanson, J.S., G.P. Malanson, M.P. Armstrong (1990):** Landscape fragmentation and dispersal in a model of riparian forest dynamics. *Ecological Modelling* vol. 49, no. 3/4, pp. 277-296.
- Hansson, L. and P. Angelstam (1991):** Landscape ecology as a theoretical basis for nature conservation. *Landscape Ecology* vol. 5. No. 4, pp. 191-200.
- Hansson, L. (2000):** Indicators of biodiversity: recent approaches and some general suggestions. *BEAR technical report* no.1, 7 pp. Available at: <http://www.algonet.se/~bear/Hansson.pdf> (accessed 2/2/2004), as appendix in Larsson et al (2000)
- Hanski, I. (1998):** Metapopulation dynamics. *Nature* 396: 41-49
- Hanski, I. (1999):** Metapopulation Ecology. Oxford University Press, New York. 313 pages. ISBN nr. 0-19-854065-5.
- Hanski, I. and O. Ovaskainen (2000):** The metapopulation capacity of a fragmented landscape. *Nature* vol. 403, pp. 755-758.
- Haralick, R.M., K. Shanmugam, I. Dinstein (1973):** Textural Features for Image Classification. *IEEE Transactions on Systems, Man and Cybernetics*: SMC-3.
- Hargis, C. D., J.A. Bissonette, J.L. David (1998):** The behaviour of landscape metrics commonly used in the study of habitat fragmentation. *Landscape Ecology*, vol. 13, pp. 167-186.
- Häusler, T (1998):** Personal communication, project coordination and meetings, SAI-GAF.
- Häusler, T., S. Saradeth, Y. Amitai (1993):** NOAA-AVHRR forest map of Europe. *Proceedings of the International Symposium "Operationalization of Remote Sensing"*. 19-23 April 1993, ITC Enschede, NL, pp. 37-48.
- Häusler, T., E. Akgöz, S. Ekstrand, H. Gallaun, I. Lagarde, M. Loeffmark, M. Schardt, D.R. Pelz, P. Obergföll (2000):** Monitoring Changes and Indicators for Structural Diversity of Forested Areas. In: Proceedings of the IUFRO conference on "Remote Sensing and Forest Monitoring" Rogow, Poland 1-3 June 1999, eds. T. Zawila-Niedzwiecki, M. Brach. EUR 19530 EN - European Communities, Luxembourg. Pages 392-414. Available at: [http://rogow99.sggw.waw.pl/08\\_session\\_4/07/](http://rogow99.sggw.waw.pl/08_session_4/07/) (accessed 1/3 2004)
- Herr, A.M., LL.P. Queen (1993):** Crane Habitat Evaluation Using GIS and Remote Sensing. *Photogrammetric Engineering and Remote Sensing*, vol. 59, no. 10, pp. 1531-1538.
- Hovey, F. (1998):** Idrisi MapWalker. Software for calculation sum and averages from raster data. Freeware, currently not available for download.
- Hudak, A.T and C.A. Wessman (1998):** Textural Analysis of Historical Aerial Photography to Characterize Woodland Plant Encroachment in South African Savannah. *Remote Sensing of Environment*, vol. 66, pp. 317-330.
- Hunsaker, C.T., P.M. Schwartz, B.L. Jackson (1996):** Landscape Characterization For Watershed Management. proceedings of "Watershed 96: moving ahead together". Water Environment Federation, 1996. 4 pp. Available at: <http://www.epa.gov/owow/watershed/Proceed/hunsaker.htm> (accessed 2/2 2004)

**Hunziker, M. and F. Kienast (1999):** Impacts of changing agricultural activities on scenic beauty - a prototype of an automated rapid assessment technique. *Landscape Ecology* vol. 14, pp. 161-176.

**Hvidberg, M. (2001):** Urban land use mapping using register data and standard GIS. "ScanGIS'2001 - The 8th Scandinavian Research Conference on Geographical Information Science, 25-27 June 2001, Ås, Norway - Proceedings" ISBN 82-576-9502-5. Pages 141-155. Available at <http://www.nlh.no/conf/scangis2001/papers/32.pdf> (accessed 7/2 2004)

**Innes, J., B. Koch (1998):** Forest biodiversity and its assessment by remote sensing. *Global Ecology and Biodiversity Letters*, vol. 7, pp. 397-419.

**Irons, J.R., B.L. Markham, R.F. Nelson, D.L. Toll, D.L. Williams, R.S. Latty, M.L. Stauffer(1985):** The effects of spatial resolution on the classification of Thematic Mapper data. *International Journal of Remote Sensing*, vol. 6, no. 8, pp. 1385-1403.

**Jasinski, M.F. (1990):** Sensitivity of the Normalized Difference Vegetation Index to Subpixel canopy cover, Soil Albedo and Pixel Scale. *Remote Sensing of Environment*, vol. 32, pp. 169-187.

**Jennings, M.D. (2000):** Gap analysis: concepts, methods, and recent results. *Landscape Ecology* vol. 15, no. 1, pp. 5–20.

**Jensen, L. M., P. Hobitz, A. Reenberg, J. Lawesson (1998):** A quantitative method for analysing landscape structure. *Danish Journal of Geography* vol. 98, pp. 88-93.

**Jensen, L.M. (1999):** Spatial demands for location of farm woodlands -securing the goals of multi-purpose afforestation. *Danish journal of Geography*, Special Issue 1, pp. 89-96.

**Jones, K. Bruce, A.C. Neale, M.S. Nash, R.D. van Remortel, J.D. Wickham, K.H. Riitters, R.V. O'Neill (2001):** Predicting nutrient and sediment loadings to streams from landscape metrics: A multiple watershed study from the United States Mid-Atlantic Region. *Landscape Ecology* vol. 16, no. 4, pp. 301-312.

**Jones, M. (1998):** EON 2000 (Earth Observation for NATURA 2000) Annual Report 1998. Prepared by the EON 2000 partnership under co-ordination of the National Remote Sensing Centre Limited for the European Commission DGXII / Framework IV. Available at: [http://geospace.co.at/EON2000/Publications/annual\\_rep1.doc](http://geospace.co.at/EON2000/Publications/annual_rep1.doc) (accessed 2/2 2004)

**Jongman, R.H.G. (1994) :** Data for ecological networks, the example of the main structure for the European Union. "In European collaborative programme workshop on remote sensing in landscape ecological mapping", Leuven 17-19 march 1994. E.C. Luxembourg 1995, ISBN 92-827-4245-8. pp. 69-81.

**Justice, C.O. and J.R. Townshend (1994):** Data sets for global remote sensing: lessons learnt. *International Journal of Remote Sensing* vol. 15, no. 17, pp. 3621-3639.

**Kareiva, P. and U. Wennergren (1995):** Connecting landscape patterns to ecosystem and population processes. *Nature*, vol. 373, pp. 299-302.

**Kasischke, E. S., Melack, J.M., Dobson, M.C. (1997):** The use of imaging radars for ecological applications - a review. *Remote Sensing of Environment* 59: 141-156.

**Keckler, D. (1997):** Surfer for windows, contouring and 3D surface mapping. Manual for version 6. Golden Software, Inc. [www.goldensoftware.com](http://www.goldensoftware.com)

**Kennedy, P. and R. Luxmoore (1994):** The Major Variables for a Forest Ecosystem Information System. Working Group report in Proceedings of an International Workshop on Designing a system of nomenclature for European forest mapping, EFI, Joensuu, Finland 13-15 June 1994. EUR report 16113 EN, pp. 415-423.

**Kennedy, P., K. Kuusela, S. Folving (1997):** Regionalisation and stratification of Europe's forests: the foresters perspective. FIRS project report. Available at [http://www.vtt.fi/tte/research/tte1/tte14/proj/firs/firs\\_regions\\_97.pdf](http://www.vtt.fi/tte/research/tte1/tte14/proj/firs/firs_regions_97.pdf) (accessed 8/3 2004)

**Kenneweg, H., H. Saischewski, M. Schardt (1997):** Forest Damage Monitoring on European Level by Means of Satellite Remote Sensing in SAI (ed. Pam Kennedy): Proceedings of "Application of Remote Sensing in European forest monitoring, International Workshop, Vienna 14-16 Oct. 1996". European Commission, Brussels, EUR 17685 EN, 1997. Pages 235-248.

**King, A. W. (1990):** Translating Models Across Scales in the Landscape. In "Quantitative Methods in Landscape Ecology", eds. Turner, M.G., R.H. Gardner. Springer-Verlag, New York 1991, pp. 479-517.

**Koch, B. (2000):** The Contribution of Remote Sensing for Afforestation and Forest Biodiversity Assessment. In Proceedings of the IUFRO conference on "Remote Sensing and Forest Monitoring" Rogow, Poland 1-3 June 1999, eds. T. Zawila-Niedzwiecki, M. Brach. EUR 19530 EN - European Communities, Luxembourg. Pp. 3-13. Available at: [http://rogow99.sggw.waw.pl/02\\_opening\\_lecture/](http://rogow99.sggw.waw.pl/02_opening_lecture/) (accessed 2/2 2004)

**Köhl, M. and R. Päivinen (1996):** Definition of a System of Nomenclature for Mapping European Forests and for Compiling a Pan-European Forest Information System. Luxembourg: Office for Official Publications of the European Communities. Catalogue number: CL-NA-16-416-EN-C.

**Kouki, J. and S. Lofman (1998):** Forest fragmentation: processes, concepts and implication for species. In "Key Concepts in landscape ecology" Proceedings of the 1998 European congress of IALE, pp. 187-203.

**Kupfer, J.A. (1995):** Landscape ecology and biogeography. *Progress in Physical Geography* vol. 19, no. 1, pp. 18-34.

**Kutzenberger, H. and T. Wrбка (1992):** Eine Naturschutzstrategie fuer Oesterreich - oekologische Grundlagen und Anforderunden. Forschungsinstitut WWF Oesterreich, Bericht 7/1992, pp. 4-22.

**Kuusik, A. (1991):** Determination of Vegetation Canopy Parameters from Optical Measurements. *Remote Sensing of Environment* vol. 37, no. 2, pp. 207-218.

**Larsson, T.-B. et al (2000):** Biodiversity evaluation tools for European forests. A report from the FAIR project "Indicators for monitoring and evaluation of forest biodiversity in Europe" (BEAR). CT97-3575 within the EU commission RTD programme. 133 pp. + appendices. To appear in the series ECOLOGICAL BULLETINS published by *Oikos* Editorial Office, Copenhagen.

**Leblon, B., H. Granberg, C. Anseau, A. Royer (1993):** A semi-empirical model to estimate the biomass production of forest canopies from spectral variables. Part 1: Relationship between spectral variables and light interception efficiency. *Remote Sensing Reviews*, vol. 7, pp. 109-125.

**Levesque, J., D.J. King (1996):** Semivariance analysis of the tree crown structure in airborne digital camera imagery. In *Proceedings, 26th International Symposium on Remote Sensing on the Environment*, Vancouver, Canada.

**Li, H., J.F. Reynolds (1993):** A new contagion index to quantify spatial patterns of landscapes. *Landscape Ecology* vol. 8, no. 3, pp. 155-162.

**Liberta, G. (2001):** GIS and database-manager. EGEO unit, JRC Ispra. personal comm. February 2001.

**Lin, C. and R. Päivinen (2000):** Remote sensing and forestry information needs in the 21st century. In *Proceedings of the IUFRO conference on Forestry and Remote Sensing*, Rogow Poland 1-3 June 1999, eds. T. Zawila-Niedzwiecki, M. Brach. EUR 19530 EN - European Communities, Luxembourg. Pages 392-414. Available at: [http://rogow99.sggw.waw.pl/04\\_round\\_table/01/](http://rogow99.sggw.waw.pl/04_round_table/01/) (accessed 2/2 2004).

**Loomis, J. and C. Echohawk (1999):** Using GIS to identify under-represented ecosystems in the National Wilderness Preservation System in the USA. *Environmental Conservation* vol. 26, no. 1, pp. 53-58.

**Lucas, N.S. and P.J. Curran (1999):** Forest ecosystem simulation modelling: the role of remote sensing. *Progress in Physical Geography* vol. 23, no. 3, pp. 391-423.

**Lund, H.G. and Iremonger, S. (1998):** Omissions, commissions, and decisions: the need for integrated resource assessments. In: *Proceedings of the First International Conference - Geospatial Information in Agriculture and Forestry. Decision Support, Technology, and Applications*. 1-3 June 1998. Lake Buena Vista, Florida, USA. Ann Arbor, Michigan: ERIM International Inc. I-182-I-189.

**Luque, S.S. (2000):** The challenge to manage the biological integrity of nature reserves: a landscape ecology perspective. *International Journal of Remote Sensing* vol. 21, no. 13&14, pp. 2613-2643.

**Mackey, B.G. (1996):** The Role of GIS and Environmental Modelling in the Conservation of Biodiversity. In: *Proceedings, Third International Conference/Workshop on Integrating GIS and Environmental Modeling*, Santa Fe, NM, January 21-26, 1996. Santa Barbara, CA: National Center for Geographic Information and Analysis. Available from: [http://www.ncgia.ucsb.edu/conf/SANTA\\_FE\\_CD-ROM/sf\\_papers/brendan\\_mackey/mackey\\_paper.html](http://www.ncgia.ucsb.edu/conf/SANTA_FE_CD-ROM/sf_papers/brendan_mackey/mackey_paper.html) (accessed 25/2 2004)

**Mackey, B.G. and D.B. Lindenmayer (2001):** Towards a hierarchical framework for modelling the spatial distribution of animals. *Journal of Biogeography* vol. 28, no. 9, pp. 1147-1166

**Mandelbrot, B. (1967):** How Long Is the Coast of Britain? Statistical Self-Similarity and Fractional Dimension. *Science* vol. 156, pp. 636-638.

**Mann, C.C. and M.L. Plummer (1993):** The High Cost of Biodiversity. *Science* vol. 260, pp. 1868-1871.

**Mann, C.C. and M.L. Plummer (1995):** Are Wildlife Corridors the Right Path? *Science* vol. 270, pp. 1428-1430.

**Marceau, D.J., P.J. Howarth, D.J. Gratton (1994a):** Remote Sensing and the Measurement of Geographical Entities in a Forested Environment. 1. The Scale and Spatial Aggregation Problem. *Remote Sensing of Environment* vol. 49, pp. 93-104.

**Marceau, D.J., D.J. Gratton, R.A. Fournier, J.-P. Fortin (1994b):** Remote Sensing and the Measurement of Geographical Entities in a Forested Environment. 2. The Optimal Spatial Resolution. *Remote Sensing of Environment* vol. 49, pp. 105-117.

**Marceau, D.J., G. J. Hay (1999):** Remote Sensing Contributions to the Scale Issue, *Canadian Journal of Remote Sensing* vol. 25, no. 4, pp. 357-366.

**Martin, M.E., S.D. Newman, J.D. Aber, R.G. Congalton (1998):** Determining Forest Species Composition Using High Spectral Resolution Remote Sensing Data. *Remote Sensing of Environment* vol. 65, pp. 249-254.

**May, R.M. (1975):** Island biogeography and the design of wildlife preserves. *Nature* vol. 254, pp. 177-178.

**May, R.M. (1988):** How many species are there on Earth? *Science* vol. 247, pp. 1441-49.

**Mayaux, P. and E.F. Lambin (1995):** Estimation of Tropical Forest Area from Coarse Spatial Resolution Data: A Two-Step Correction Function for Proportional Errors Due to Spatial Aggregation. *Remote Sensing of Environment* vol. 53, pp. 1-15.

**Mayaux, P. and E.F. Lambin (1997):** Tropical Forest Area Measured from Global Land-Cover Classifications: Inverse Calibration Models Based on Spatial Textures. *Remote Sensing of Environment* vol. 59, pp. 29-43.

**Mayaux, P., F. Achard, J.P. Malingreau (1998):** Global tropical forest measurements derived from coarse resolution satellite imagery: a comparison with other approaches. *Environmental Conservation* vol. 25, no. 1, pp. 37-52.

**McCormick, N., P. Kennedy, S. Folving (1995):** An integrated methodology for mapping European forest ecosystems using satellite remote sensing. *EARSeL Advances in Remote Sensing* vol. 4, no. 3, pp. 87-92.

**McCormick, N. (1996):** Automated forest stand mapping by spatial analysis of satellite imagery. In proceedings of "Application of Remote Sensing in European forest monitoring", International Workshop, 14-16 Oct. 1996. Ed. Pam Kennedy. Luxembourg, 1997.

**McCormick, N. and S. Folving (1998):** Monitoring European forest biodiversity at regional scales using satellite remote sensing. In P. Bachmann et al. (eds.) *Assessment of Biodiversity for Improved Forest Planning*, pp. 283-289. Kluwer Academic Publishers, NL.

**McDonald, A.J., F.M. Gemmell, P.E. Lewis (1998):** Investigation of the Utility of Spectral Vegetation Indices for Determining Information on Coniferous Forests. *Remote Sensing of Environment* vol. 66, pp. 250-272.

**McGarigal, K. and C. Holmes (2000):** Landscape pattern metrics. Background material to a new version of the 'fragstats' software. HTML-document. Available at: <http://www.umass.edu/landeco/research/fragstats/documents/Metrics/Metrics%20TOC.htm> (accessed 26/2 2004)

**McGarigal, K. and B.J. Marks (1994):** Fragstats: Spatial pattern analysis program for quantifying landscape structure. Manual ver. 2.0. 68 pp. + apps. Available at <ftp://ftp.fsl.orst.edu/pub/fragstats.2.0/frag.zip> (accessed 26/2 2004)

**McGarigal, K. and B.J. Marks (1995):** FRAGSTATS: Spatial Pattern Analysis Program for Quantifying Landscape Structure. General Technical Report PNW-GTR-351. Pacific

Nrothwest Research Station. August 1995. Available at [http://www.fs.fed.us/pnw/pubs/gtr\\_351.pdf](http://www.fs.fed.us/pnw/pubs/gtr_351.pdf) (accessed 2/2 2004).

**McGarigal, K. and W.C. McComb (1995):** Relationships between landscape structure and breeding birds in the Oregon coast range. *Ecological Monographs* vol. 65, no. 3 (aug. 1995), pp. 235-260.

**McGwire, K. (1992):** Analyst Variability in Labelling of Unsupervised Classifications. *Photogrammetric Engineering and Remote Sensing* vol. 58, no. 12, pp. 1673-1677.

**McGwire, K., M. Friedl, J.E. Estes (1993):** Spatial structure, sampling design and scale in remotely sensed imagery of a California savanna woodland. *International Journal of Remote Sensing* vol. 14, no. 11, pp. 2137-2164.

**Mead, R. A., T.L. Sharik, S.P. Prisley, J.T. Heinen (1981):** A computerized spatial analysis system for assessing wildlife habitat from vegetation maps. *Canadian Journal of Remote Sensing* vol. 7, no. 1, pp. 34-40.

**Mertens, B., E.F. Lambin (1997):** Spatial modelling of deforestation in southern Cameroon: spatial disaggregation of diverse deforestation processes. *Applied Geography* vol. 17, no. 2, pp. 143-162

**Mielby, S. (1999):** AIS - A Framework for Handling Spatial Environmental Data at a National Scale. Paper presented at the 2nd AGILE Conference on Geographic Information Science in Rome, April 15-17, 1999. Available at [http://agile.isegi.unl.pt/Conference/Roma1999/Download/Agile99\\_mielby.pdf](http://agile.isegi.unl.pt/Conference/Roma1999/Download/Agile99_mielby.pdf) - accessed 29/9 2003.

**Ministry of Agriculture and Forestry of Finland (1993):** The resolutions and the general declarations of the second ministerial conference on the protection of forests in Europe. Ministerial Conference on the protection of Forests in Europe, 16-17 June, 1993. Helsinki. Available from: <http://www.mmm.fi/english/forestry/policy/minkonf/> (accessed 2/2 2004).

**Ministry of Agriculture and Forestry of Finland, Liaison Unit in Helsinki (1994):** European List of Criteria and Most Suitable Quantitative Indicators. Ministerial Conference on the Protection of Forests in Europe, 16-17 June 1993 in Helsinki. Available from: <http://www.mmm.fi/english/forestry/policy/minkonf/criteria.htm> (accessed 2/2 2004).

**Møller, P.G. (2001):** Kulturmiljøregistrering (registratration of cultural environments), *Fortid og Nutid* vol. 1 2001, pp. 3-22. Published by the Danish historical council. Available at: <http://www.landsarkivetkbh.dk/fortid/kultmiljo.pdf> (accessed 1/3 2004)

**Møller, P.G., U. Nässman, B.D. Ekner, A. Höll, A. Myrtue, E.M. Sørensen (2002):** Bæredygtig arealanvendelse (sustainable land use). Pp. 144-179 in "Foranderlige Landskaber: Integration af natur og kultur i forvaltning og forskning", red. Møller, Per Grau et al. Syddansk Universitetsforlag, Odense Denmark. ISBN 87-7838-670-5.

**Monmonier, M. (1994):** Gap analysis, Biodiversity and GIS. *Statistical Computing & Statistical Graphics Newsletter* Vol.5 No.2, August 94. Pp 7-8. Published on-line at: [http://lib.stat.cmu.edu/scgn/v52/section1\\_4\\_0\\_1.html](http://lib.stat.cmu.edu/scgn/v52/section1_4_0_1.html) (accessed 2/2 2004).

**Moody, A. and C.E. Woodcock (1994):** Scale-dependent errors in estimation of land-cover proportions: Implications for global land-cover datasets. *Photogrammetric Engineering and Remote Sensing* vol. 60, no. 5, pp. 585-596.

- Morrison, M. L. and L.S. Hall (2002):** Standard Terminology: Towards a Common Language to Advance Ecological Understanding and Applications. Chapter 2 in "Predicting Species Occurrences: Issues of Accuracy and Scale", Island Press, ISBN: 1559637870. Presented at conference on Wildlife habitat modelling, Snowbird Utah, October 18-22, 1999: [http://www.cnr.uidaho.edu/coop/1999\\_symposium.htm](http://www.cnr.uidaho.edu/coop/1999_symposium.htm) (accessed 2/2 2004).
- Mosseler, A. and W. W. Bowers (1998):** Criteria and Indicators of Sustainable Forest Management – From Concept to Reality. *IUFRO News* vol. 27, issue 3, pp. 9-11. Available at: [http://iufro.boku.ac.at/iufro/news/news3\\_98\\_spdc.pdf](http://iufro.boku.ac.at/iufro/news/news3_98_spdc.pdf) (accessed 2/2 2004)
- Mucher, C. A., K. T. Steinnocher, F. P. Kressler, C. Heunks (2000):** Land cover characterization and change detection for environmental monitoring of pan-Europe. *International Journal of Remote Sensing* vol. 21, no. 6, pp. 1159-1181.
- Musick, H. B. and H.D. Grover (1991):** Image Textural Measures as Indices of Landscape Pattern. Chapter 4 in "Quantitative Methods in Landscape Ecology", eds. M.G. Turner, R.H. Gardner. Springer-Verlag, New York, ISBN 0 387 94241-6. Pages 77-103.
- Nel, E.M., C.A. Wessman, T.T. Veblen (1994):** Digital and Visual Analysis of Thematic Mapper Imagery for Differentiating Old Growth from Younger Spruce-Fir Stands. *Remote Sensing of Environment* vol. 48, pp. 291-301.
- Nichols, W.F., Killingbeck, K.T., August, P.V. (1998):** The Influence of Geomorphological Heterogeneity on Biodiversity II. A Landscape Perspective. *Conservation Biology* vol. 12, no. 2, pp. 371-379.
- Nielsen, K., M. Stjernholm, B.Ø. Olsen, D. Müller-Wohlfeil, I. Madsen, A. Kjeldgaard, G. Groom, H.S. Hansen, A. M. Rolev, B. Hermansen, H. Skov-Petersen, V.K. Johannsen, M. Hvidberg, J.E. Jensen, V. Bacher, H. Larsen (2000a):** Areal Informations Systemet – AIS. (in Danish). Miljø- og Energiministeriet, Danmarks Miljøundersøgelser. ISBN, print: 87-7772-567-0, HTML: 87-7772-568-9. 110 pp. Available from: [http://www.dmu.dk/1\\_viden/2\\_miljoe-tilstand/3\\_samfund/ais/2\\_Rapport/ais\\_rapport.pdf](http://www.dmu.dk/1_viden/2_miljoe-tilstand/3_samfund/ais/2_Rapport/ais_rapport.pdf) Accessed 20/12 2003
- Nielsen, K., M. Stjernholm, B.Ø. Olsen, D. Müller-Wohlfeil, I. Madsen, A. Kjeldgaard, G. Groom, H.S. Hansen, A. M. Rolev, B. Hermansen, H. Skov-Petersen, V.K. Johannsen, M. Hvidberg, J.E. Jensen, V. Bacher, H. Larsen (2000b):** Metadata for Areal Informations Systemet (in Danish). Miljø- og Energiministeriet, Danmarks Miljøundersøgelser. 173 pp. Available from: [http://www.dmu.dk/1\\_viden/2\\_miljoe-tilstand/3\\_samfund/ais/3\\_Metadata/AISmetadata.pdf](http://www.dmu.dk/1_viden/2_miljoe-tilstand/3_samfund/ais/3_Metadata/AISmetadata.pdf) (accessed 6/2 2003)
- Nordjyllands Amt (2001):** Regionplan. (Regional development plan). Available from <http://www.nja.dk/Serviceomraader/Regionplan/IntroduktionRegionplan.htm> (in Danish, accessed 21/2 2004).
- Noss, R.F. (1990):** Indicators for Monitoring Biodiversity: A Hierarchical Approach. *Conservation Biology* vol. 4, no. 4, pp. 355-364.
- Oliver, M.A. and R. Webster (1986):** Combining Nested and Linear Sampling for Determining the Scale and Form of Spatial Variation of Regionalized Variables. *Geographical Analysis* vol. 18, no. 3, pp. 227-242.
- Olsen, E.R., R.D. Ramsey, D.S. Winn (1993):** A modified Fractal Dimension as a Measure of Landscape Diversity. *Photogrammetric Engineering and Remote Sensing* vol. 59, no. 10, pp. 1517-1520.

- O'Neill, R.V., B.T. Milne, M.G. Turner, R.H. Gardner (1988):** Resource utilization scales and landscape pattern. *Landscape Ecology* vol. 2, no. 1, pp. 63-69.
- O'Neill, R.V., C.T. Hunsaker, S.P. Timmins, B.L. Jackson, K.B. Jones, K.H. Riitters, J.D. Wickham (1996):** Scale problems in reporting landscape pattern at the regional scale. *Landscape Ecology* vol. 11, no. 3, pp. 169-180.
- O'Neill, R.V., C.T. Hunsaker, ; K.B. Jones, K.H. Riitters, J.D. Wickham, P.M. Schwartz, I.A. Goodman, B.L. Jackson, W.S. Baillargeon (1997):** Monitoring environmental quality at the landscape scale. *BioScience* vol. 47, no. 8, pp. 513-519.
- O'Neill, R.V., K.H. Riitters, J.D. Wickham, K.B. Jones (1999):** Landscape Pattern Metrics and Regional Assessment. *Ecosystem Health* vol. 5, no. 4, dec. 1999, pp. 225-233.
- Openshaw, S. (1977):** A geographical solution to scale and aggregation problems in region-building, partitioning and spatial modelling. *Institute of British Geographers, Transactions, New Series*, vol. 2, no. 1, pp. 459-472.
- Openshaw, S. (1984):** The Modifiable Areal Unit Problem. *Concepts and Techniques in Modern Geography (CATMOG)* no. 38, 40 pp.
- Oswald, H. (1996):** Ecological Sustainability Of Man-Made Forests. Proceedings of the 1st EFERN-Plenary Meeting, Vienna 1996. 10 pp.
- Päivinen, R. and M. Köhl (1997):** Systems of Nomenclature in European Forest Resource Assessments - Is Harmonisation Needed? In proceedings of "International workshop on Application of Remote Sensing in European Forest Monitoring" Vienna Austria 14-16 October 1996. European Commission, Luxemburg: EUR 17685 EN. Pages 9-23.
- Paracchini, M.L., S. Folving, F. Bertolo (2000):** Identification and Classification of European Headwaters. In: M.J. Haigh and J. Krecek (Eds.) *Environmental Reconstruction in Headwater Areas* (Kluwer Academic Publishers) Dordrecht, Boston, London, ISBN 0-7923-6294-2. Pp. 67-79.
- Patil, G. P., W. L. Myers, Zhen Luo, G. D. Johnson, C. Taillie (2000):** Multiscale assessment of landscapes and watersheds with synoptic multivariate spatial data in environmental and ecological statistics. *Mathematical and Computer Modelling* Volume 32, Issues 1-2, July 2000, pp. 257-272
- Peddle, D.R et al (1997):** Classification of Forst Land Cover in BOREAS II: Comparison of Results from a Sub-pixel Scale Physical Modeling Approach and a Training Based Method. *Canadian Journal of Remote Sensing* vol. 23, no. 2, pp. 131-142.
- Peddle, D., F.G. Hall, E.F. LeDraw (1999):** Spectral Mixture Analysis and Geometric-Optical Reflectance Modelling of Boreal Forest Biophysical Structure. *Remote Sensing of Environment* vol. 67, pp. 288-297.
- Petit, C.C., E.F. Lambin (2002):** Impact of data integration technique on historical land-use/land-cover change: Comparing historical maps with remote sensing data in the Belgian Ardennes. *Landscape Ecology* vol. 17, no. 2, pp. 117-132.
- Petit, S., F. Burel (1998):** Effects of landscape dynamics on a metapopulation of a ground beetle (Coleoptera, Carabidae) in a hedgerow network. *Agriculture, Ecosystems and Environment* vol. 69, pp. 243-252.



- Petit, S., M.B. Usher (1998):** Biodiversity in agricultural landscapes: the ground beetle communities of woody uncultivated habitats. *Biodiversity and Conservation* vol. 7, pp. 1549-1561.
- Pickett, S.T.A., M.L. Cadenasso (1995):** Landscape ecology: spatial heterogeneity in ecological systems. *Science* vol. 269, no. 5222, pp. 331-334.
- Pitkänen, S. (1998):** The use of diversity indices to assess the diversity of vegetation in managed boreal forests. *Forest Ecology and Management* vol. 112, pp. 121-137.
- Pitt, D.G., R.G. Wagner, R.J. Hall, D.J. King, D.G. Leckie, U. Runesson (1997):** Use of remote sensing for forest vegetation management: A problem analysis. *The Forestry Chronicle* vol. 73, no. 4, pp. 459-477.
- Puumalainen, J. (2001):** Structural, compositional and functional aspects of forest biodiversity in Europe. *Geneva Timber and Forest Discussion Papers*. ECE/TIM/DP 22. ISBN 92-1-116788-4. Available from: <http://www.unece.org/trade/timber/docs/dp/dp-22.pdf> (Accessed 21/2 2004)
- Rabus, Bernhard, M. Eineder, A. Roth, R. Bamler (2003):** The shuttle radar topography mission - a new class of digital elevation models acquired by spaceborne radar. *ISPRS Journal of Photogrammetry and Remote Sensing* vol. 57, pp. 241-262.
- Raffy, M. (1994):** Change of scale: a capital challenge for space observation of earth. *International Journal of Remote Sensing* vol. 15, no. 12, pp. 2353-2357.
- Ramstein, G. and M. Raffy (1989):** Analysis of the structure of radiometric remotely-sensed images. *International Journal of Remote Sensing* vol. 10, no. 6, pp. 1049-1073.
- Reichhardt, T. (1999):** Research to benefit from cheaper Landsat Images. *Nature*, Vol. 400, p. 702.
- Reid, W. R. (1992):** How many species will there be? Chapter 3 in *Tropical deforestation and species extinction*, ed. T. C. Whitmore and J. A. Sayer. New York: Chapman and Hall.
- Rommel, T. and Csillag, F. (2002):** When are two landscape indexes significantly different? *Journal of Geographical Systems* vol. 5, pp. 331-351.
- Research Systems Inc. (1999):** Interactive Data Language (IDL), version 5.2.1. Company site: [www.rsinc.com](http://www.rsinc.com) (accessed 1/3 2004)
- Ricotta, C. (2000):** From theoretical ecology to statistical physics and back: self-similar landscape metrics as a synthesis of ecological diversity and geometrical complexity. *Ecological Modelling* vol. 125, pp. 245-253.
- Riitters, K.H., B.E. Law, R.C. Kucera, A.L. Gallant, R.L. DeVelice, C.J. Palmer (1992):** A selection of forest condition indicators for monitoring. *Environmental Monitoring and Assessment* vol. 20, pp. 21-33.
- Riitters, K.H., R.V. O'Neill, C.T. Hunsaker, J.D. Wickham, D.H. Yankee, S.P. Timmins, K.B. Jones, B.L. Jackson (1995):** A factor analysis of landscape pattern and structure metrics. *Landscape Ecology* vol. 10, no. 1, pp. 23-39.
- Riitters, K. H., R. V. O'Neill, and K. B. Jones (1997):** Assessing habitat suitability at multiple scales: a landscape-level approach. *Biological Conservation* vol. 81, issue 1-2, pp. 191-202.

- Riitters, K.H., J. Wickham, R. O'Neill, B. Jones, and E. Smith (2000):** Global-scale patterns of forest fragmentation. *Conservation Ecology* 4(2): 3. [online] URL: <http://www.ecologyandsociety.org/vol4/iss2/art3/> (accessed 2/2 2004).
- Ripple, W.J. (1994):** Determining Coniferous Forest Cover and Forest Fragmentation with NOAA-9 Advanced Very High Resolution Radiometer Data. *Photogrammetric Engineering and Remote Sensing* vol. 60, no. 5, May 1994, pp. 533-540.
- Robson, W. (1996):** Distribution of butterflies in changing agricultural landscapes. Proceedings of the CONNECT Meeting - Biodiversity In Changing Agricultural Landscapes, 22 November 1996, ITE Monks Wood, UK. Available at: <http://mwnta.nmw.ac.uk/ite/econet/robson.html> (accessed 2/2 2004).
- Roe, E. (1996):** Why Ecosystem Management Can't Work Without Social Science: An Example from the California Northern Spotted Owl Controversy. *Environmental Management* vol. 20, no. 5, pp. 667-674.
- Rogerson, P.A. (2001):** Statistical methods for geography. 236 pp. SAGE Publications, Ltd., London. ISBN 0-7619-6288-3.
- Rolstad, J., B. Løken, E. Rolstad (2000):** Habitat selection as a hierarchical spatial process: the green woodpecker at the northern edge of its distribution range. *Oecologia* vol. 124, pp. 116-129.
- Roughgarden, J., S.W. Running, P.A. Matson (1991):** What does remote sensing do for ecology? *Ecology* vol. 72, no. 6, pp. 1918-1922.
- Running, S. W., Justice, C. O., Salomonson, V., Hall, D., Barker, J., Kaufman, Y. J., Strahler, A. H., Huete, A. R., Muller, J.-P., Vanderbilt, V., Wan, Z.-M., Teillet, P., & Carneggie, D. (1994):** Terrestrial remote sensing science and algorithms planned for EOS/MODIS. *International Journal of Remote Sensing* vol. 15, no. 17, pp. 3587-3620.
- Saatchi, S. and M. Moghaddam (2000):** Estimation of crown and stem water content and biomass of Boreal forest using polarimetric SAR imagery. *IEEE Transactions on Geoscience and Remote Sensing* vol. 38, no. 2 March 2000, pp. 697-709.
- St.-Onge B.A. and F. Cavayas, F. (1995):** Estimating forest stand structure from high resolution imagery using the directional variogram. *International Journal of Remote Sensing* vol. 16, no. 11, pp. 1999-2021.
- Sali, E. and H. Wolfson (1992):** Texture Classification in aerial photographs and satellite data. *International Journal of Remote Sensing* vol. 13, no. 18, pp. 3395-3407.
- Saunders, D.A., R.J. Hobbs, C.R. Margules (1991):** Biological Consequences of Ecosystem Fragmentation: A Review. *Conservation Biology* vol. 5, no. 1, pp. 18-32.
- Saura, S. and J. Martinez-Millan (2000):** Landscape pattern simulation with a modified random clusters method. *Landscape Ecology* vol. 15, no. 7, pp. 661-678.
- Saura, S. and J. Martinez-Millan (2001):** Sensitivity of landscape pattern metrics to map spatial extent. *Photogrammetric Engineering and Remote Sensing* vol. 67, no. 9, pp. 1027-1036.
- Saura, S. (2002):** Effects of minimum mapping unit on land cover data spatial configuration and composition. *International Journal of Remote Sensing* vol. 23, no. 22, pp. 4853-4880.

**Schou, A. and J. Handberg (2000):** CHIP – Cultural Heritage in Planning. Ministry of Environment and Energy, Danish Forest and Nature Agency, June 2001. ISBN 87-7279-297-3, ISBN - electronic 87-7279-298-1. 61 pp. Available at: <http://www.sns.dk/udgivelser/2001/87-7279-298-1/hel.pdf> (accessed 3/2 2004)

**Scott, M.J., F. Davis, B. Csuti, R. Noss, B. Butterfield, C. Groves, H. Anderson, S. Caicco, F. D'Erchia, T.C. Edwards, J. Ulliman, R.G. Wright (1993):** Gap Analysis: a geographic approach to protection of biological diversity. *Wildlife Monographs* vol. 123, pp. 1-41.

**Scott, M.J. and M.D. Jennings (1998):** Large-Area Mapping of Biodiversity. *Annals of the Missouri Botanical Garden* vol. 85, pp. 34-47.

**Sehested, T. and C. Wulff (editors) 2003:** Denmark. The Royal Danish Ministry of Foreign Affairs, Copenhagen. 4<sup>th</sup> edition. ISBN (Internet version) 87-7265-601-8. Based on text from the Danish National Encyclopaedia and compiled by its editors. URL: <http://www.denmark.dk> (select The Danish State > Nature and Environment, accessed 4/6 2004).

**Simberloff, D.S. and L.G. Abele (1976):** Island Biogeography Theory and Conservation Practice. *Science* vol. 191, pp. 285-286.

**Simpson, E.H. (1949):** Measurement of Diversity. *Nature* vol. 163, p. 688.

**Skole, D. and C. Tucker (1993):** Tropical Deforestation and Habitat Fragmentation in the Amazon: Satellite Data from 1978 to 1988. *Science* vol. 260, pp. 1905-1910.

**Skov-Petersen, H. (1999):** Spatial aggregation strategies - applications in urban land use mapping. Proceedings of the 7th Scandinavian Research Conference on Geographical Information Science. Aalborg, Denmark 7-9 June 1999. Aalborg Univesitetsforlag. ISBN: 87-7307-630-9 Pp 131-142.

**Skov-Petersen, H. (2001):** Estimation of distance-decay parameters: GIS-based indicators of recreational accessibility. "ScanGIS'2001 - The 8th Scandinavian Research Conference on Geographical Information Science, 25-27 June 2001, Ås, Norway - Proceedings" ISBN 82-576-9502-5. Pages 237-258. Available at <http://www.nlh.no/conf/scangis2001/papers/22.pdf> (accessed 7/2 2004)

**Smith, G. and H. Gillet (2000):** European Forest and Protected Areas: Gap Analysis. Technical report, compiled by the UNEP World Conservation Monitoring Centre, Cambridge U.K. Available from: [http://www.unep-wcmc.org/forest/eu\\_gap/Technical%20Report.pdf](http://www.unep-wcmc.org/forest/eu_gap/Technical%20Report.pdf) (accessed 19/11 2003)

**Sparks, T.H., S.A. Hinsley, J.O. Mountford, N. Veitch, P.E. Bellamy, D.S. de Nooijer (1994):** Landscape design: preliminary estimates of the effects of landscape permutations on wildlife. In "Fragmentation In Agricultural Landscapes", Proceedings of the third IALE(UK) Conference 1994, pp. 87-94.

**Spies, T.A. (1998):** Forest Structure: A Key to the Ecosystem. Proceedings of workshop on Structure, Process, and Diversity in Successional Forests of Coastal British Columbia, February 17-19, 1998, Victoria, British Columbia. Northwest Science, Vol. 72 (special issue No. 2), pp. 34-39. Available at: <http://www.pfc.forestry.ca/ecology/chrono/sfrw/10spies.pdf> (accessed 2/2 2004)

**Steinhardt, U., F. Herzog, A. Lausch, E. Müller, S. Lehmann (1999):** The hemeroby index for landscape monitoring and evaluation. In: Pykh, Y. A., Hyatt, E., Lenz, R. J. M. (eds.): Environmental indices. Systems analysis approach EOLSS, Oxford, S. 237-257.

**Stoms, D.M. and J.E. Estes (1993):** A remote sensing research agenda for mapping and monitoring biodiversity. *International Journal of Remote Sensing* vol. 14, no. 10, pp. 1839-1860.

**Stoms, D.M. (2000):** GAP management status and regional indicators of threats to biodiversity. *Landscape Ecology* vol. 15, no. 1, pp. 21-33.

**Stork, N.E., T.J.B. Boyle, V. Dale, H. Eeley, B. Finegan, M. Lawes, N. Manokaran, R. Prabhu, J. Soberon (1997):** Criteria and Indicators for Assessing the Sustainability of Forest Management: Conservation of Biodiversity. *CIFOR Working Paper* 17, 29 pp. Available at: [http://www.cifor.cgiar.org/publications/pdf\\_files/WPapers/WP-17.pdf](http://www.cifor.cgiar.org/publications/pdf_files/WPapers/WP-17.pdf) (accessed 2/2 2004)

**Strahler, A.H., C.E. Woodcock, J.A. Smith (1986):** On the Nature of Models in Remote Sensing. *Remote Sensing of Environment* vol. 20, pp. 121-139.

**Tanre, D., B. N. Holben and Y.J. Kaufman (1992):** Atmospheric Correction algorithm for NOAA-AVHRR Products: Theory and Application. *IEEE Transactions on Geoscience and Remote Sensing* vol. 30, no. 2, pp. 231-248.

**Tinker, Daniel B., C.A.C. Resor, G.P. Baeuvais, K.F. Kipfmüller, C.I. Fernandes, W.L. Baker (1998):** Watershed analysis of forest fragmentation by clearcuts and roads in a Wyoming forest. *Landscape Ecology* vol. 13, pp. 149-165.

**Townshend, J.R.G. and C.O. Justice (1988):** Selecting the spatial resolution of satellite sensors required for global monitoring of land transformations. *International Journal of Remote Sensing* vol. 9, no. 2, pp. 187-236.

**Turner, M. G. (1990):** Landscape Changes in Nine Rural Counties in Georgia. *Photogrammetric Engineering and Remote Sensing* vol. 56, no. 3, pp. 379-386.

**Turner, M. G., R.V. O'Neill, R.H. Gardner, B.T. Milne (1989):** Effects of changing spatial scale on the analysis of landscape pattern. *Landscape Ecology* vol. 3, no. 3/4, pp. 153-162.

**Turner, M. G., W. H. Romme, R. H. Gardner, R. V. O'Neill, T. K. Kratz (1993):** A revised concept of landscape equilibrium: disturbance and stability on scaled landscapes. *Landscape Ecology* vol. 8, pp. 213-227.

**UNEP/CBD/SBSTTA (1997):** Report of the Meeting of the Liaison Group on Forest Biological Diversity 25 to 28 May 1997 in Helsinki, Finland. Available at: <http://www.biodiv.org/doc/meetings/sbstta/sbstta-03/information/sbstta-03-inf-05-en.pdf> (accessed 2/2 2004)

**United Nations (1998):** BACKGROUND DOCUMENT 5: INFORMATION ON FOREST-RELATED WORK UNDER EXISTING INSTRUMENTS. United Nations Department of Economic and Social Affairs (DESA). Posted online at: <http://www.un.org/documents/ecosoc/cn17/iff/1998/background/ecn17iff1998-bg5.htm> (accessed 2/2 2004)

**van Mansvelt, J.D., M.J. van der Lubbe (1998):** Checklist for Sustainable Landscape Management. Final report of EU concerted action AIR3-CT93-1210: The landscape and Nature production capacity of Organic/Sustainable types of agriculture. Elsevier: ISBN 044450 1592.

- Vasconcelos, M. J., B. P. Zeigler, and L. A. Graham (1993):** Modeling multi-scale spatial ecological processes under the discrete event systems paradigm. *Landscape Ecology* vol. 8, pp. 273- 286.
- Verboom, J. (1996):** Modelling species dynamics within fragmented landscapes. Proceedings of the CONNECT Meeting - Biodiversity in Changing Agricultural Landscapes, 22 November 1996, ITE Monks Wood, UK. Available at: <http://mwnta.nmw.ac.uk/ite/econet/verboom.html> (accessed 2/2 2004)
- Vogt, J. (1992):** Characterizing the spatio-temporal variability of surface parameters from NOAA AVHRR data, a case study for Southern Mali. PhD thesis, published as EUR 14637 EN, European Commission, Luxembourg 1992, 263 pages.
- Vogt, J., R. Colombo, M.L. Paracchini, P. Soille, A. de Jager (2002):** Development of a pan-European Database of Rivers, Lakes and Catchments, in support to the needs of Environmental policies in: Proceedings 8th EC - GI & GIS Workshop 3-5 July 2002, Dublin Ireland. Available at: [http://www.lmu.jrc.it/Workshops/8ec-gis/cd/papers/3\\_crd\\_jv.pdf](http://www.lmu.jrc.it/Workshops/8ec-gis/cd/papers/3_crd_jv.pdf) (accessed 27/10 2003).
- Vogt, J.V., J. Puumalainen, P. Kennedy, S. Folving (2003):** Towards the Characterisation and Analysis of European Landscapes: Integration of Information on River Networks, Catchments and Major Forest Types. *Landscape and Urban Planning* (in press).
- von Haaren, C. (2002):** Landscape Planning facing the challenge of the development of cultural landscapes. *Landscape and Urban Planning* vol. 60, pp. 73-80.
- Waring, R. and S.W. Running (1998):** Forest Ecosystems: Analysis at Multiple Scales. Academic Press, San Diego. 370 pp. ISBN: 0-12-735443-3.
- Weber, J-L. and M. Hall (2001):** Towards spatial and territorial indicators using land cover data. Technical Report 59, European Environment Agency, Copenhagen. Available from: [http://reports.eea.eu.int/Technical\\_report\\_No\\_59/en/tech59.pdf](http://reports.eea.eu.int/Technical_report_No_59/en/tech59.pdf), accessed 11/11 2003
- Weidenbach, M. and U. Proebstl (1998):** Multimedia GIS: A New Tool For Landuse Planning. *Forest & Landscape Research* vol. 1, pp. 505-520.
- Weiers, S., G. Groom & M. Wissen (2002):** Comparability and subjectivity of land cover maps produced with digital image classification techniques: some recent experiences from Denmark and northern Germany. *Geografisk Tidsskrift, Danish Journal of Geography* vol. 102, pp. 59-77. Available at: [http://www.geogr.ku.dk/dkgs/image/pub\\_pdf/artikler/2002/GT2002\\_06sw.pdf](http://www.geogr.ku.dk/dkgs/image/pub_pdf/artikler/2002/GT2002_06sw.pdf) (accessed 2/3 2004)
- Westervelt, J. D. and L. D. Hopkins (1999):** Modeling mobile individuals in dynamic landscapes. *International Journal of Geographical Information Science* vol. 13, no. 3, pp. 191-208.
- Whittaker, R.H. (1972):** Evolution and Measurement of Species Diversity. *Taxon* vol 21, no 2/3, pp. 213-251.
- Wilkinson, G.G. (1996):** A review of current issues in the integration of GIS and remote sensing data. *International Journal of Geographical Information Systems* vol. 10, no. 1, pp. 85-101.
- Wilson, E.O. (1992):** The Diversity of Life. Penguin Science, London, England. 406 pp. ISBN: 0-14-016977-6.

- With, K.A. (1997):** The Application of Neutral Landscape Models in Conservation Biology. *Conservation Biology* vol. 11, no. 5, pp 1069-1080.
- With, K.A., A.W. King (1997):** The use and misuse of neutral landscape models in ecology. *OIKOS* vol. 79, pp. 219-229.
- With, K.A., A.W. King (1999):** Dispersal success on fractal landscapes: a consequence of lacunarity thresholds. *Landscape Ecology* vol. 14, pp. 73-82.
- Woodcock, C.E. and A. H. Strahler (1987):** The Factor of Scale in Remote Sensing. *Remote Sensing of Environment* vol. 21, pp. 311-332.
- Woodcock, C.E., J.B. Collins, S. Gopal, V.D. Jakabhazy, X. Li, S. Macomber, S. Ryherd, V.J. Harward, J. Levitan, Y. Wu, R. Warbington (1994):** Mapping Forest Vegetation Using Landsat TM Imagery and a Canopy Reflectance Model. *Remote Sensing of Environment* vol. 50, pp. 240-254.
- WCMC (World Conservation Monitoring Centre) (1995):** Biodiversity: An Overview. Information/background document, made directly as Internet document, available at: <http://www.wcmc.org.uk/infoserv/biogen/biogen.html> (NOT available 2/2 2004)
- Wrbka, T. et al (1998):** Landscape structure derived from satellite images as indicator for sustainable landuse. Proceedings of EARSeL Symposium "Operational Remote Sensing for Sustainable Development" 11-15 May 1998, Enschede, NL. Preprint.
- Wu, J. and J. L. Vankat (1995):** Island biogeography: theory and applications. In: W. A. Nierenberg (ed), *Encyclopedia of Environmental Biology* Vol. 2. pp. 371-379, Academic Press, San Diego. Available at: [http://leml.asu.edu/jingle/Web\\_Pages/Wu\\_Pubs/PDF\\_Files/Wu-Vankat\\_1995.pdf](http://leml.asu.edu/jingle/Web_Pages/Wu_Pubs/PDF_Files/Wu-Vankat_1995.pdf) (accessed 2/2 2004).
- Wu, J. and O. L. Loucks (1995):** From balance-of-nature to hierarchical patch dynamics: A paradigm shift in ecology. *Quarterly Review of Biology* vol. 70, pp. 439-466.
- Wu, J. (1999):** Hierarchy and scaling: Extrapolating information along a scaling ladder. *Canadian Journal of Remote Sensing* vol. 25, no. 4, pp. 367-380.
- Wu, J., D.E. Jelinski , M. Luck, P.T. Tueller (2000):** Multiscale Analysis of Landscape Heterogeneity: Scale Variance and Pattern Metrics. *Geographic Information Sciences, Journal of the Association of Chinese Professionals in GIS* vol. 6, no. 1. pp. 6-19.
- Wu, J., W. Shen, W. Sun, P.T. Tueller (2002):** Empirical patterns of the effects of changing scale on landscape metrics. *Landscape Ecology* vol. 17, no. 8, pp. 761-782.
- Wu, J. (2003):** Effects of changing scale on landscape pattern analysis: Scaling relations. *Landscape Ecology* - in press. 18 pp. Available at: [http://leml.asu.edu/jingle/Web\\_Pages/Wu\\_Pubs/PDF\\_Files/Wu\\_2003\\_LE.pdf](http://leml.asu.edu/jingle/Web_Pages/Wu_Pubs/PDF_Files/Wu_2003_LE.pdf)
- Wulder, M. (1998):** Optical remote-sensing techniques for the assessment of forest inventory and biophysical parameters. *Progress in Physical Geography* vol. 22, no. 1, pp. 449-476.

---